#### **Table of Contents**

- 1. Index Page
- 2. Acknowlegments
- 3. Report Criteria
- 4. Components of the Report
- 5. About Phantoms
- 6. Fundamentals of Radiation Dose
- 7. U.S. Diagnostic Reference Levels and Achievable Doses for 10 Adult CT Examinations
- 8. U.S. Diagnostic Reference Levels and Achievable Doses for 10 Pediatric CT Examinations
- 9. DIR Participating Facility Sites Map
- 10. DIR Facility Characteristics
- 11. Boxplot Explanation

- 12. Executive Summary Top 10 Adult CTDIvol
  13. Executive Summary Top 10 Adult DLP
  14. Executive Summary Top 10 Adult SSDE
  15. Executive Summary Top 10 Adult CTDIvol Boxplots
- 16. Executive Summary Top 10 Adult DLP Boxplots
  17. Executive Summary Top 10 Adult SSDE Boxplots
- 18. Mapping Page for Ádult
- 19. Executive Summary Top 10 Pediatrics CTDIvol

- 20. Executive Summary Top 10 Pediatrics DLP
  21. Executive Summary Top 10 Pediatrics SSDE
  22. Executive Summary Top 10 Pediatrics Age 0-2 Boxplots
  23. Executive Summary Top 10 Pediatrics Age 3-6 Boxplots

- 24. Executive Summary Top 10 Pediatrics Age 7-10 Boxplots 25. Executive Summary Top 10 Pediatrics Age 11-14 Boxplots 26. Executive Summary Top 10 Pediatrics Age 15-18 Boxplots
- 27. Mapping Page for Peds
- 28. Calculating The QCDR Measures
- 29. Benchmarking Methodology
- 30. DIR Exam Level Benchmarking at Diagnostic Reference Levels (DRLs)
- 31. DRL Tables
- 32. DIR QCDR Measures
- 33. MIPS Quality Measure Decile Scoring
- 34. DIR QCDR Measure Preview
- 35. Maintenance of Certification (MOC)
- 36. Contact Page

# National Radiology Data Registry

## Executive Summary Report, January thru December 2023

Sample Corporate Account

Corporate ID: 100000



nrdr.acr.org









	Acknowledgements
Code for automa in the ACR Dose (https://cipg.duhs	atic determination of patient size from localizer images that enables the production of Size-Specific Dose Estimates Index Registry is courtesy of JR Wells, Y Zhang and E Samei of the Duke University Clinical Imaging Physics Gro
For more information	ation please refer to Christianson O, Li X, Frush DP, Samei E. Automated patient-specific CT dose monitoring syst vility in CT dose. Medical Physics 39(11): 7131-7139. 2012.
(http://onlinelibra	ary.wiley.com/doi/10.1118/1.4761871/abstract)

#### DIR Executive Summary Report from the American College of Radiology

We are pleased to release the Dose Index Registry (DIR) Executive Summary report. This report also contains a preview of Qualified Clinical Data Registry (QCDR) report of DIR Non-MIPS measures.

#### Criteria for inclusion in the report

For an exam to be included in the report, it had to meet the following criteria:

- The age of the patient to which the exam was administered had to be 18 years or lower for the pediatric reports and over 18 years for adult reports.
- The name of the exam had to be tagged using the DIR Exam Mapping Tool or, alternatively, the RPID name and number had to be submitted electronically as part of the DICOM header.
- An Executive Summary Report is provided for exams which have at least 2,000 and 10,000 total records across all facilities for pediatric and adult reports respectively.
- Index data for the Top 10 Adult and Top 10 Pediatric exams are included in this report. Index data for all exams can be found in corresponding on-line reports.

The tables and charts in this report describe dose indices at the scan level. The three measures that we currently report are SSDE, CTDIvol and DLP. For example, for a CT Abdomen and Pelvis With and Without IV Contrast, if the scan for the "Without" phase of the exam had a CTDIvol of 30 mGy and the scan for the "With" phase had a CTDIvol of 25 mGy, then the CTDIvol per Scan would be 30 mGy. In cases where multiple scans were given for the same body region when fewer scans were required, the CTDIvol per Scan will underestimate the total CTDIvol. Timing runs or monitoring scans are excluded before identifying the scan with the highest dose index.

#### Components of the Report

Map of Facilities - The Map of Facilities shows all facilities that are participating in the registry during the report period.

Demographic Data - The bar charts describe demographic data of all the facilities that contributed data during the report period.

Adult Executive Summary Table - The Adult Executive Summary provides a quick overview of Your Facility's data for the most common adult CT exams and a comparison to the overall DIR values. For each of the three dose indices (CTDIvol per scan, DLP per scan and SSDE per scan) your facility values are compared to the DIR values. To access data for all exams (beyond the most common) please log into the DIR registry in the NRDR portal. Indices for all exams can be found in the Interactive Reports > CT Facility Comparison Report. Data can be filtered by Exam Type and Patient Age.

**Adult High Volume Boxplots -** Shows a snapshot of your facility's performance in the DIR top 10 high volume adult CT exams. There are 3 sets of boxplots, one for each dose index, representing the DIR values for an exam. Your facility median is depicted by a red line. Absence of red line means your facility did not perform that exam. The key of the numbered exams are given on the right hand side. SSDE only has values for body exams.

Pediatric Executive Summary Tables - The Pediatric Executive Summary provides a quick overview of Your Facility's data for the most common pediatric CT exams and a comparison to the overall DIR values by age groups. For each of the dose indices (CTDIvol per scan, DLP per scan and SSDE per scan) your facility values are compared to the DIR values for the corresponding age group. To access data for all exams (beyond the most common) please log into the DIR registry in the NRDR portal. Indices for all exams can be found in the Interactive Reports > CT Facility Comparison Report. Data can be filtered by Exam Type and Patient Age.

**Pediatric High Volume Boxplots** - Shows a snapshot of your facility's performance in the DIR top 10 high volume pediatrics CT exams by age groups. There are 3 sets of boxplots, one for each dose index, representing the DIR values for a particular exam for each age group. Your facility median is depicted by a red line. Absence of a red line means your facility did not perform that exam. The key of the numbered exams are given on the right hand side. SSDE only has values for body exams.

CY Year-To-Date Qualified Clinical Data Registry (QCDR) Preview Report - This report provides a preview of performance scores for QCDR measures used in the Centers for Medicare and Medicaid Services (CMS) Merit-based Incentive Payment System (MIPS). Within this report the measure scores are shown at the facility level. Individual physician and group level (by Tax-IdentificationNumber (TIN)) measure scores are shown in the NRDR MIPS Participation portal for groups registered and enrolled in the NRDR MIPS.

#### **About Phantoms**

**Phantom Size -** The value of the dose index that you report for each exam is relative to a particular phantom size. To make accurate comparisons, we standardize the values to a certain phantom size. For all head exams, we standardize to a 16cm phantom. For all body exams, we standardize to a 32cm phantom. The relationship of the two phantoms is CTDI32 X 2.3 = CTDI16.

For more information on DIR data processing refer to Bhargavan-Chatfield M, Morin RL. The ACR Computed Tomography Dose Index Registry: the 5 million examination update.

J Am Coll Radiol. 2013 Dec 10(12):980-3. doi: 10.1016/j.jacr.2013.08.030. (https://www.jacr.org/article/S1546-1440(13)00560-7/fulltextf).

The dose indices reported can be affected by a number of issues that are not necessarily related to a non-optimal protocol. Before modifying any protocol, please consult your medical physicist.

Issues that may affect the dose indices include but are not limited to the following:

- Protocols/orderables that are mapped to a given RPID, may not actually belong to the assigned RPID (e.g., a protocol mapped to a CT HEAD BRN WO IVCON might actually be a perfusion study).
- If the phantom size is not recorded/transmitted, it is assumed that all body exams use a 32cm phantom and all head exams use a 16cm phantom, which may not be the case. This could affect CTDIvol in either direction (head exams could appear to be half of the true value; body exams could appear to be twice the true value).

#### **Fundamentals of Radiation Dose**

Term	Description	Unit
CT Dose Index (CTDIvol)	Radiation energy absorbed per unit mass; for CT, determined for a standard phantom and not a patient	gray (Gy) or milligray (mGy)
Dose Length Product (DLP)	Absorbed dose multiplied by the length of exposure; for CT, determined for a standard phantom and not a patient	milligray-cm (mGy-cm)
Size Specific Dose Estimate	A patient dose estimate which takes into consideration corrections based on the size of the patient	milligray (mGy)

CT Dose Index (CTDIvol) approximates the average radiation dose to a cross section of the phantom. Dose Length Product (DLP) is based on CTDIvol factors in the length of the scan.

In modern CT scanners, CTDIvol and/or DLP are reported for each CT scan. Although these parameters are tagged to individual patient exams, they do not represent the patient's dose but rather the radiation dose to one of two standard phantoms.

CTDIvol is primarily used as a quality assurance tool to compare the dose from techniques using the same size phantom and to compare CT scanner output from different manufacturers' equipment. It has been used to modify technical parameters in an attempt to lower radiation dose in general.

More recently, the American Association of Physicists in Medicine (AAPM) developed a new CT parameter, the size-specific dose estimate (SSDE) to more accurately estimate average cross-sectional dose to an individual patient by factoring in the size ofthe patient. This value is determined by applying a conversion factor, based on cross-sectional dimensions of the patient, to the CTDIvol.

For more information about SSDE please refer to <a href="http://www.aapm.org/pubs/reports/RPT\_204.pdf">http://www.aapm.org/pubs/reports/RPT\_204.pdf</a>. Several online educational programs on this topic are available that offer free continuing education. See the 'Image Wisely Radiation Safety Cases' on CT Dose and Size-Specific Dose Estimate (SSDE) (<a href="https://shop.acr.org/Default.aspx?TabID=55&ProductId=12363982">https://shop.acr.org/Default.aspx?TabID=55&ProductId=12363982</a>) and Child-sizing CT Dose: Optimizing Patient Care through Quality Improvement

 $\underline{\text{https://www.acr.org/-/media/ACR/Files/Radiology-Safety/Radiation-Safety/WhitePaper\_RadiationDose\_2007.pdf}$ 

#### U.S. Diagnostic Reference Levels and Achievable Doses for 10 Adult CT Examinations

Using data from the American College of Radiology's Dose Index Registry, the world's largest registry of dose information, Kanal et al have established U.S. national dose levels for the 10 most common adult CT examinations based on patient size. The study establishes patient-size based diagnostic reference levels (DRLs) and achievable doses (ADs) for the 10 most common CT head, neck and body examinations. A summary table of ADs and DRLs for median size patients is presented below. Except for head and brain without contrast, all exams used water-equivalent diameter as an indicator of patient size. For head and brain without contrast, lateral thickness was used.

Healthcare facilities can use this information to effectively compare their patient doses to national benchmarks, optimize their exam protocols so that dose is commensurate with the size of the patient, and help avoid unnecessary radiation exposure.

References - 1. Kanal KM, Butler PF, Sengupta D, et al. U.S. Diagnostic Reference Levels and Achievable Doses for 10 Adult CT Examinations, Radiology 2017, ahead of print. (http://pubs.rsna.org/doi/abs/10.1148/radiol.2017161911?journalCode=radiology)

		CTDIvol (mGy)		SSDE (mGy)		DLP (mGy-cm)	
Exam Name	Median Patient Size	DRL	AD	DRL	AD	DRL	AD
Head and brain without contrast	14-16	56	49	- 1		962	811
Neck with contrast	18-22	19	15			563	429
Cervical spine without contrast	18-22	28	20			562	421
Chest without contrast	29-33	12	9	15	11	443	334
Chest with contrast	29-33	13	10	15	11	469	353
Chest pulmonary arteries with contrast	29-33	14	11	17	13	445	357
Abdomen and pelvis without contrast	29-33	16	13	19	15	781	639
Abdomen and pelvis with contrast	29-33	15	12	18	15	755	608
Abdomen, pelvis and kidney without contrast	29-33	15	12	19	14	705	576
Chest, abdomen and pelvis with contrast	29-33	15	12	18	14	947	779

#### U.S. Diagnostic Reference Levels and Achievable Doses for 10 Pediatric CT Examinations

Diagnostic reference levels (DRLs) and achievable doses (ADs) were developed for the 10 most commonly performed pediatric CT examinations in the United States using the American College of Radiology Dose Index Registry. Data on 10 pediatric (ie, patients aged 18 years and younger) CT examinations performed between 2016 and 2020 at 1625 facilities were analyzed. For head and neck examinations, dose indexes were analyzed based on patient age and effective diameter. Data from 1,543,535 examinations provided medians for AD and 75th percentiles for DRLs for volume CT dose index (CTDIvol), dose-length product (DLP), and size-specific dose estimate (SSDE).

Healthcare facilities can use this information to effectively compare their patient doses to national benchmarks, optimize their exam protocols so that dose is commensurate with the size of the patient, and help avoid unnecessary radiation exposure.


Of all facilities analyzed, 66% of the facilities (1,068 of 1,625) were community hospitals, 16% (264 of 1,625) were freestanding centers, 9.5% (154 of 1,625) were academic facilities, and 3.5% (57 of 1,625) were dedicated children's hospitals. Fifty-two percent of the patients (798,577 of 1,543,535) were boys, and 48% (744,958 of 1,543,535) were girls. The median age of patients was 14 years (boys, 13 years; girls, 15 years). The head was the most frequent anatomy examined with CT (876,655 of 1,543,535 examinations [57%]). For head without contrast material CT examinations, the age-based CTDIvol AD ranged from 19 to 46 mGy, and DRL ranged from 23 to 55 mGy, with both AD and DRL increasing with age. For body examinations, DRLs and ADs for size-based CTDIvol, SSDE, and DLP increased consistently with the patient's effective diameter.

Diagnostic reference levels and achievable doses as a function of patient age and effective diameter were developed for the 10 most commonly performed CT pediatric examinations using American College of Radiology Dose Index Registry data. These benchmarks can guide CT facilities in adjusting pediatric CT protocols and resultant doses for their patients.


References - 1. Kanal KM, Butler PF, Golden D, et al. U.S. Diagnostic Reference Levels and Achievable Doses for 10 Pediatric CT Examinations. (https://pubs.rsna.org/doi/10.1148/radiol.2021211241)

## DIR Corporate Sites That Submitted Data From January thru December 2023

(Total 566 Corporate Sites, US Sites are indicated by black dots)



## **Box-and-whiskers Plot**




Executive Summary January thru December 2023 - Top 10 Adult CTDIVol										
Corporate ID 100000 ALL DIR  YTD 2023 (Q1-Q4) Full Year 2022 YTD 2023 (Q1-Q										
RPIDGroupname	N	(25-Med-75th)	N	(25-Med-75th)	N	(25-Med-75th)				
CT ABDOMEN PELVIS KIDNEY WO IVCON	1,442	(9/12/19)	222,844	(9/12/15)	226,196	(9/12/14)				
CT ABDOMEN PELVIS W IVCON	20,915	(8/13/21)	2,898,970	(10/13/17)	3,045,790	(10/13/17)				
CT ABDOMEN PELVIS WO IVCON	8,519	(8/13/19)	1,465,495	(10/13/15)	1,231,196	(10/13/15)				
CT C SPINE WO IVCON	5,739	(15/23/52)	763,071	(17/23/40)	804,082	(16/23/45)				
CT CHEST ABDOMEN PELVIS W IVCON	4,174	(10/15/25)	642,844	(12/16/22)	687,901	(11/16/22)				
CT CHEST PULMONARY ARTERIES W IVCON	3,859	(9/13/20)	602,616	(9/12/15)	566,234	(8/11/15)				
CT CHEST W IVCON	6,332	(7/11/20)	717,646	(8/10/14)	691,524	(8/10/13)				
CT CHEST WO IVCON	9,528	(6/9/14)	1,294,148	(7/9/11)	1,286,111	(7/9/11)				
CT HEAD BRAIN WO IVCON	30,113	(44/53/62)	4,129,512	(43/50/57)	4,103,673	(43/50/57)				
CT NECK W IVCON	1,811	(10/16/25)	238,831	(11/14/18)	256,919	(11/14/17)				

Executive Summary January thru December 2023 - Top 10 Adult DLP									
DLP Max Across Scans Corporate ID 100000 ALL DIR									
Corpora	ite in Tool	YTD 2023 (Q1-Q4)		Full Year 2022	ILL DIK	YTD 2023 (Q1-Q4)			
RPIDGroupname	N	(25-Med-75th)	N	(25-Med-75th)	N	(25-Med-75th)			
CT ABDOMEN PELVIS KIDNEY WO IVCON	1,442	(406/598/935)	222,675	(435/596/737)	225,482	(431/608/719)			
CT ABDOMEN PELVIS W IVCON	20,924	(403/639/1037)	2,882,947	(512/654/819)	3,037,856	(509/651/813)			
CT ABDOMEN PELVIS WO IVCON	8,530	(404/635/974)	1,457,605	(506/637/746)	1,228,463	(504/632/771)			
CT C SPINE WO IVCON	5,730	(319/526/1045)	756,369	(362/505/868)	798,767	(362/508/956)			
CT CHEST ABDOMEN PELVIS W IVCON	4,180	(516/839/1361)	637,709	(675/903/1156)	686,460	(641/888/1100)			
CT CHEST PULMONARY ARTERIES W IVCON	3,859	(288/425/637)	602,293	(281/382/506)	564,777	(264/363/500)			
CT CHEST W IVCON	6,335	(259/473/846)	713,174	(276/373/522)	688,523	(271/386/521)			
CT CHEST WO IVCON	9,529	(200/323/505)	1,288,090	(245/324/414)	1,282,645	(244/328/408)			
CT HEAD BRAIN WO IVCON	30,071	(750/943/1129)	4,094,277	(758/899/1044)	4,081,798	(760/915/1048)			
CT NECK W IVCON	1,809	(288/430/643)	237,380	(306/402/505)	255,988	(313/399/503)			


Executive Summary January thru December 2023 - Top 10 Adult SSDE										
Corporate ID 100000 ALL DIR										
RPIDGroupname	N	YTD 2023 (Q1-Q4) (25-Med-75th)	N	Full Year 2022 (25-Med-75th)	N	YTD 2023 (Q1-Q4) (25-Med-75th)				
CT ABDOMEN PELVIS KIDNEY WO IVCON	1,018	(10/13/18)	151,642	(10/13/16)	154,680	(10/13/15)				
CT ABDOMEN PELVIS W IVCON	14,819	(10/14/21)	1,899,319	(11/14/18)	2,063,961	(11/14/18)				
CT ABDOMEN PELVIS WO IVCON	6,188	(10/14/19)	921,911	(11/14/16)	797,291	(11/13/16)				
CT C SPINE WO IVCON	484	(24/34/46)	N/A	N/A	N/A	N/A				
CT CHEST ABDOMEN PELVIS W IVCON	3,225	(11/16/24)	441,759	(13/18/25)	503,265	(13/17/24)				
CT CHEST PULMONARY ARTERIES W IVCON	2,691	(9/14/20)	402,534	(9/12/17)	386,287	(8/12/17)				
CT CHEST W IVCON	4,474	(8/12/19)	462,774	(9/11/15)	462,875	(9/12/15)				
CT CHEST WO IVCON	7,003	(7/10/14)	816,632	(8/10/12)	842,187	(8/10/12)				
CT HEAD BRAIN WO IVCON	19,265	(30/40/55)	N/A	N/A	N/A	N/A				
CT NECK W IVCON	292	(17/28/39)	N/A	N/A	N/A	N/A				

Corporate Id: 100000





- **2 CT ABDOMEN PELVIS W IVCON**
- **3 CT ABDOMEN PELVIS WO IVCON**
- 4 CT C SPINE WO IVCON
- **5 CT CHEST ABDOMEN PELVIS W IVCON**
- **6 CT CHEST PULMONARY ARTERIES W IVCON**
- **7 CT CHEST W IVCON**
- **8 CT CHEST WO IVCON**
- 9 CT HEAD BRAIN WO IVCON
- **10 CT NECK W IVCON**



## Mapping Page for Adult


RPIDGROUPNAME	RPID	SHORTNAME
CT ABDOMEN PELVIS KIDNEY WO IVCON	RPID344	CT ABD KIDNEY CALC WO IVCON
	RPID386	CT ABD ADRNL WO IVCON
	RPID390	CT ABD PELVIS KIDNEY CALC
	RPID891	CT ABD PELVIS KIDNEY WO IVCON
	RPID894	CT ABD KIDNEY WO IVCON
	RPID896	CT ABD KIDNEY CANCER WO IVCON
	RPID1075	CT ABD PELVIS KIDNEY CALC DUAL ENG CT WO IVCON
	RPID1521	CT ABD PELVIS KIDNEY CALC WO IVCON
CT ABDOMEN PELVIS W IVCON	RPID145	CT ABD PELVIS W IVCON
	RPID1020	CT ABD PELVIS LO DOSE W IVCON
	RPID1097	CT ABD PELVIS DUAL ENG CT W IVCON
	RPID1841	CT ABD/PEL W IVCON
	RPID1900	CT ABD/PEL LO DOSE W IVCON
CT ABDOMEN PELVIS WO IVCON	RPID144	CT ABD PELVIS WO IVCON
CI ADDOMEN PLEVIS WO IVCON	RPID144 RPID861	CT ABD PELVIS WO IVCON
	RPID1842	CT ABD/PEL WO IVCON
CT C CRIME WO IVCOM	RPID1905	CT PEDS ABD/PEL WO IVCON
CT C SPINE WO IVCON	RPID21	CT C SPINE WO IVCON
	RPID1270	CT C SPINE LO DOSE WO IVCON
	RPID1421	CT C SPINE 3D IMAGE WO IVCON
	RPID1892	CT PEDS C SPINE WO IVCON
	RPID1907	CT BRN C SPINE WO IVCON
CT CHEST ABDOMEN PELVIS W IVCON	RPID249	CT CHST ABD PELVIS W IVCON
	RPID405	CT CHST ABD PELVIS TRAUMA W IVCON
	RPID866	CT CHST ABD PELVIS W IVCON
	RPID1083	CT CHST ABD PELVIS DUAL ENG CT W IVCON
	RPID1294	CT CHST ABD PELVIS LO DOSE W IVCON
	RPID1845	CT CHST ABD/PEL EMBO W IVCON
CT CHEST PULMONARY ARTERIES W IVCON	RPID147	CT CHST PULM ARTS EMBO W IVCON
	RPID1070	CT CHST PULM ARTS EMBO DUAL ENG CT W IVCON
CT CHEST W IVCON	RPID18	CT CHST W IVCON
	RPID1301	CT CHST LO DOSE W IVCON
	RPID1307	CT CHST EMBO W IVCON
	RPID1441	CT CHST 3D IMAGE W IVCON
	RPID1904	CT PEDS CHST W IVCON
	RPID4933	CT CHST SC JT W IVCON
CT CHEST WO IVCON	RPID16	CT CHST WO IVCON
	RPID146	CT CHST AIRWAY WO IVCON
	RPID404	CT CHST STERNUM WO IVCON
	RPID919	CT SC JT WO IVCON
	RPID1299	CT PEDS CHST LO DOSE HI RES WO IVCON
	RPID1305	CT CHST LO DOSE HI RES WO IVCON
	RPID1886	CT PEDS CHST WO IVCON
CT HEAD BRAIN WO IVCON	RPID22	CT HEAD WO IVCON
	RPID266	CT HEAD BRN WO IVCON
	RPID409	CT HEAD FIDUCIAL WO IVCON
	RPID1096	CT HEAD BRN DUAL ENG CT WO IVCON
	RPID1030	CT HEAD BRN SCREEN WO IVCON
	RPID1803	CT PEDS HEAD WO IVCON
	RPID1804	CT HEAD PREOP WO IVCON
	RPID1807	CT HEAD TRAUMA WO IVCON
	RPID1825	CT PEDS HEAD BRN WO IVCON
	RPID1835	CT BRN PREOP TH SECT WO IVCON
	RPID1850	CT BRN WO IVCON
	RPID1898	CT BRN FACL BNS WO IVCON
	RPID4943	CT HEAD MLTPL AREA SM BDY REG WO IVCON
CT NECK W IVCON	RPID39	CT NECK W IVCON

			_		IVol Max Across	Scans	Top 10 Peds CTDIVol	
RPIDGroupname	Corporate II  Age Group	D 10000 N	OO YTD 2023 (Q1-Q4) (25-Med-75th)	N	Full Year 2022 (25-Med-75th)	ILL DIR N	YTD 2023 (Q1-Q4) (25-Med-75th)	
CT ABDOMEN PELVIS W IVCON	00-02	72	(2/2/4)	2,716	(2/2/5)	2,892	(2/3/6)	
	03-06	137	(2/2/3)	7,589	(2/3/3)	7,826	(2/3/3)	
	07-10	270	(3/4/6)	12,934	(3/4/5)	13,070	(3/4/5)	
	11-14	544	(4/6/10)	21,515	(5/6/8)	20,929	(5/6/8)	
	15-18	1,191	(5/8/12)	54,519	(6/8/10)	56,025	(6/8/10)	
CT ABDOMEN PELVIS WO IVCON	00-02	15	(1/2/3)	752	(2/3/8)	534	(2/3/9)	
	03-06	26	(2/3/4)	1,361	(2/3/4)	1,104	(2/3/4)	
	07-10	42	(2/4/7)	2,205	(3/4/6)	1,817	(2/4/5)	
	11-14	83	(4/7/12)	4,006	(5/6/8)	3,236	(5/6/9)	
	15-18	267	(6/8/14)	14,014	(6/8/10)	11,178	(6/8/10)	
CT C SPINE WO IVCON	00-02	42	(2/4/12)	1,516	(3/9/19)	1,462	(4/9/23)	
	03-06	49	(3/6/16)	1,885	(4/7/21)	1,977	(4/7/23)	
	07-10	48	(5/14/39)	2,313	(6/10/22)	2,602	(5/10/26)	
	11-14	121	(7/12/22)	5,188	(10/16/36)	5,684	(10/17/38)	
	15-18	354	(10/20/43)	15,420	(13/20/43)	16,274	(13/20/48)	
CT CHEST ABDOMEN PELVIS W	00-02	24	(1/2/3)	874	(2/4/12)	894	(2/3/11)	
IVCON	03-06	18	(2/2/3)	1,153	(2/3/6)	1,178	(2/3/6)	
	07-10	19	(2/2/5)	944	(3/6/10)	1,060	(3/5/8)	
	11-14	34	(4/6/10)	1,728	(6/10/15)	1,796	(6/10/15)	
	15-18	88	(8/14/29)	5,381	(8/13/19)	6,078	(9/13/19)	
CT CHEST W IVCON	00-02	79	(1/2/2)	3,032	(1/2/4)	2,464	(1/2/3)	
	03-06	59	(1/2/3)	2,255	(2/2/4)	2,545	(2/2/4)	
	07-10	50	(2/3/4)	1,865	(2/3/5)	2,144	(2/4/5)	
	11-14	73	(3/4/10)	2,867	(4/6/10)	3,255	(4/6/10)	
	15-18	170	(4/7/14)	6,557	(5/8/13)	6,928	(5/8/13)	
CT CHEST WO IVCON	00-02	41	(1/2/2)	2,094	(1/2/5)	1,723	(1/2/4)	
	03-06	31	(1/2/2)	1,654	(2/2/3)	1,649	(2/2/3)	
	07-10	35	(2/2/3)	1,642	(2/3/5)	1,581	(2/3/5)	
	11-14	103	(2/3/6)	2,722	(3/5/7)	2,551	(3/5/7)	
	15-18	142	(3/4/8)	5,419	(5/6/9)	5,260	(5/6/8)	
CT HEAD BRAIN WO IVCON	00-02	1,251	(15/22/28)	50,388	(17/22/29)	44,115	(17/22/28)	
	03-06	634	(18/25/34)	28,568	(22/26/33)	26,784	(21/26/32)	
	07-10	528	(22/30/36)	26,085	(25/32/40)	25,838	(25/32/40)	
	11-14	778	(29/35/49)	40,300	(32/41/51)	39,521	(32/40/50)	
	15-18	1,544	(36/47/58)	75,971	(39/48/57)	76,861	(40/48/56)	
CT HEAD PARANASAL SINUSES WO	0 00-02	8	(6/11/13)	151	(5/10/23)	117	(4/8/13)	
IVCON	03-06	10	(5/7/10)	408	(6/10/18)	441	(6/11/19)	
	07-10	7	(6/7/9)	673	(7/10/19)	770	(8/11/19)	
	11-14	23	(7/9/16)	1,081	(8/14/23)	1,128	(9/13/21)	
	15-18	37	(8/13/18)	2,046	(9/15/25)	2,287	(9/15/26)	
CT LE WO IVCON	03-06	5	(3/8/12)	132	(2/4/6)	148	(2/4/8)	
	07-10	8	(4/9/11)	571	(3/5/9)	617	(4/6/10)	
	11-14	43	(3/6/9)	1,970	(6/7/11)	2,198	(6/8/12)	
	15-18	44	(4/7/12)	2,244	(6/8/12)	2,511	(6/9/13)	
CT NECK W IVCON	00-02	45	(2/4/5)	1,420	(3/4/7)	1,496	(2/4/6)	
	03-06	48	(3/5/6)	1,926	(3/4/6)	2,634	(3/4/6)	
	07-10	26	(4/6/8)	1,772	(4/6/8)	2,511	(4/6/8)	
	11-14	47	(6/7/11)	2,216	(7/9/13)	2,707	(7/9/12)	
							* * * * *	

					DLP Max Across S	cans	23 - Top 10 Peds	DLP
RPIDGroupname	Corporat  Age Group		0000 YTD 2023 (Q1-Q4) (25-Med-75th)	N	Full Year 2022 (25-Med-75th)	ALL DIR N	YTD 2023 (Q1-Q4) (25-Med-75th)	
CT ABDOMEN PELVIS W IVCON	00-02	72	(53/74/105)	2,699	(53/73/154)	2,880	(51/77/162)	
	03-06	137	(60/91/120)	7,554	(65/88/123)	7,815	(65/91/132)	
	07-10	270	(106/164/240)	12,903	(110/153/211)	13,072	(109/150/213)	
	11-14	544	(194/282/465)	21,445	(235/288/376)	20,904	(236/297/370)	
	15-18	1,190	(251/389/619)	54,310	(302/383/499)	55,936	(312/380/480)	
CT ABDOMEN PELVIS WO IVCON	00-02	15	(28/59/76)	750	(47/80/216)	533	(42/79/250)	
	03-06	26	(60/102/169)	1,360	(60/93/130)	1,103	(62/92/133)	
	07-10	42	(82/153/261)	2,200	(111/161/236)	1,817	(96/147/206)	
	11-14	83	(178/294/472)	3,998	(208/281/395)	3,232	(219/297/429)	
	15-18	267	(266/410/693)	13,960	(298/390/496)	11,166	(288/378/491)	
CT C SPINE WO IVCON	00-02	41	(22/52/177)	1,508	(50/139/326)	1,456	(62/144/374)	
	03-06	49	(45/110/266)	1,878	(68/124/337)	1,973	(64/129/415)	
	07-10	48	(99/272/744)	2,305	(116/194/423)	2,595	(106/199/456)	
	11-14	121	(144/245/489)	5,174	(218/342/718)	5,672	(232/367/758)	
	15-18	355	(239/451/921)	15,353	(295/443/866)	16,214	(291/442/947)	
CT CHEST ABDOMEN PELVIS W	00-02	25	(49/77/101)	863	(66/110/407)	884	(69/109/339)	
IVCON	03-06	19	(86/107/135)	1,136	(92/131/218)	1,156	(100/139/228)	
	07-10	19	(99/134/190)	929	(157/248/380)	1,051	(151/234/325)	
	11-14	34	(203/354/601)	1,721	(326/514/782)	1,786	(325/522/760)	
	15-18	88	(421/773/1259)	5,344	(498/693/1022)	6,062	(510/729/1082)	
CT CHEST W IVCON	00-02	79	(20/34/55)	3,024	(23/42/94)	2,461	(23/40/75)	
	03-06	59	(35/50/109)	2,252	(44/63/106)	2,542	(42/63/108)	
	07-10	50	(53/85/130)	1,863	(69/99/176)	2,141	(68/103/193)	
	11-14	73	(89/141/367)	2,861	(137/209/396)	3,251	(138/211/389)	
	15-18	170	(156/265/552)	6,542	(199/315/562)	6,916	(199/321/589)	
CT CHEST WO IVCON	00-02	41	(15/25/35)	2,088	(23/39/103)	1,722	(23/40/103)	
	03-06	31	(31/42/50)	1,654	(39/57/90)	1,645	(34/53/92)	
	07-10	35	(57/66/83)	1,638	(56/81/141)	1,575	(61/87/141)	
	11-14	103	(76/120/184)	2,723	(112/164/246)	2,548	(117/162/241)	
	15-18	142	(93/162/287)	5,401	(174/236/324)	5,246	(167/228/313)	
CT HEAD BRAIN WO IVCON	00-02	1,248	(225/322/430)	50,232	(268/348/446)	44,011	(266/353/459)	
	03-06	631	(302/409/558)	28,480	(356/451/575)	26,707	(360/441/565)	
	07-10	528	(381/537/633)	26,016	(438/552/692)	25,781	(435/554/684)	
	11-14	778	(509/632/838)	40,172	(559/696/894)	39,414	(569/715/880)	
	15-18	1,544	(630/807/1052)	75,639	(688/844/1008)	76,538	(692/859/1018)	
CT HEAD PARANASAL SINUSES	00-02	8	(80/129/178)	150	(61/121/304)	117	(64/105/159)	
WO IVCON	03-06	10	(77/87/100)	407	(85/145/261)	437	(92/171/325)	
	07-10	7	(72/79/133)	671	(98/185/376)	768	(128/173/311)	
	11-14	23	(107/142/265)	1,078	(131/228/386)	1,124	(127/237/370)	
	15-18	37	(110/175/310)	2,044	(149/264/435)	2,280	(150/274/445)	
CT LE WO IVCON	03-06	5	(109/110/206)	132	(48/85/133)	148	(61/92/154)	
	07-10	8	(98/174/256)	571	(71/126/197)	617	(86/136/227)	
	11-14	43	(55/123/248)	1,965	(140/188/308)	2,190	(135/209/325)	
	15-18	44	(119/189/387)	2,238	(165/216/370)	2,497	(158/241/418)	
CT NECK W IVCON	00-02	44	(25/66/92)	1,412	(46/76/144)	1,487	(46/72/127)	
	03-06	48	(73/118/130)	1,914	(63/90/136)	2,627	(61/90/129)	
	07-10	26	(84/146/193)	1,767	(95/131/196)	2,506	(102/136/195)	
	11-14	47	(141/233/319)	2,202	(176/240/333)	2,703	(181/234/319)	
	15-18	153	(225/305/468)	6,310	(227/306/406)	6,967	(239/314/412)	
			(===,===,==)	-,020	(==:,500,500)	-,	(////////	


	Е	xecut	tive Summar	y January	thru Decembe	r 2023	- Top 10 Peds SSDE	
C	to ID 46	2000		SSI	DE Max Across Scan	s		
COrp RPIDGroupname	orate ID 10	N	YTD 2023 (Q1-Q4) (25-Med-75th)	N	ALL DIR Full Year 2022 (25-Med-75th)	N	YTD 2023 (Q1-Q4) (25-Med-75th)	
CT ABDOMEN PELVIS W IVCON	00-02	48	(4/5/10)	1,872	(4/5/11)	1,960	(4/5/11)	
	03-06	96	(3/5/6)	5,013	(3/5/6)	5,213	(4/5/7)	
	07-10	179	(5/6/9)	8,610	(5/6/9)	8,626	(5/6/9)	
	11-14	374	(7/9/12)	14,451	(7/9/11)	13,955	(7/9/11)	
	15-18	839	(7/11/14)	36,242	(9/10/13)	37,604	(9/10/13)	
CT ABDOMEN PELVIS WO IVCON	00-02	9	(4/4/5)	549	(4/6/13)	378	(4/6/15)	
	03-06	21	(4/6/8)	975	(3/5/7)	719	(3/5/7)	
	07-10	26	(5/7/12)	1,473	(5/7/9)	1,110	(5/6/8)	
	11-14	61	(6/9/15)	2,608	(7/9/11)	2,132	(7/9/11)	
	15-18	193	(9/11/16)	8,991	(8/11/13)	7,326	(8/10/13)	
CT CHEST ABDOMEN PELVIS W	00-02	14	(3/4/5)	595	(4/7/19)	610	(4/7/18)	
IVCON	03-06	9	(4/4/5)	704	(4/6/10)	724	(4/6/13)	
	07-10	12	(3/4/7)	596	(5/9/14)	680	(5/7/13)	
	11-14	24	(6/7/13)	1,080	(8/12/18)	1,172	(8/12/19)	
	15-18	48	(9/17/26)	3,660	(10/15/22)	4,220	(10/14/22)	
CT CHEST W IVCON	00-02	54	(2/4/5)	2,195	(3/4/7)	1,722	(2/4/6)	
	03-06	39	(3/4/5)	1,562	(3/4/6)	1,824	(3/4/6)	
	07-10	40	(3/4/7)	1,295	(4/5/7)	1,557	(4/5/8)	
	11-14	44	(4/5/8)	2,029	(6/8/12)	2,384	(5/8/12)	
	15-18	116	(5/8/12)	4,436	(7/10/15)	4,810	(7/10/15)	
CT CHEST WO IVCON	00-02	29	(2/3/4)	1,638	(3/4/8)	1,304	(2/4/8)	
	03-06	15	(2/3/4)	1,219	(3/4/6)	1,201	(3/4/6)	
	07-10	18	(3/3/4)	1,144	(3/5/7)	1,104	(4/5/7)	
	11-14	71	(4/6/8)	1,873	(5/7/9)	1,792	(5/7/9)	
	15-18	107	(4/6/10)	3,635	(6/8/11)	3,633	(6/8/10)	

Corporate Id: 100000 Age Group: 0-2




## - Your Facility Median

- 1 CT HEAD BRAIN WO IVCON
- **2 CT ABDOMEN PELVIS W IVCON**
- **3 CT CHEST WO IVCON**
- **4 CT ABDOMEN PELVIS WO IVCON**
- **5 CT C SPINE WO IVCON**
- **6 CT CHEST W IVCON**
- 7 CT CHEST ABDOMEN PELVIS W IVCON
- **8 CT NECK W IVCON**
- 9 CT HEAD PARANASAL SINUSES WO IVCON
- **10 CT LE WO IVCON**



Corporate Id: 100000 Age Group: 03-06





### - Your Facility Median

1 CT HEAD BRAIN WO IVCON

**2 CT ABDOMEN PELVIS W IVCON** 

**3 CT CHEST WO IVCON** 

**4 CT ABDOMEN PELVIS WO IVCON** 

**5 CT C SPINE WO IVCON** 

**6 CT CHEST W IVCON** 


**7 CT CHEST ABDOMEN PELVIS W IVCON** 

**8 CT NECK W IVCON** 


9 CT HEAD PARANASAL SINUSES WO IVCON

**10 CT LE WO IVCON** 


#### **DLP**



### **SSDE**



Corporate Id: 100000 Age Group: 07-10



6


0

2

3


### - Your Facility Median

- 1 CT HEAD BRAIN WO IVCON
- **2 CT ABDOMEN PELVIS W IVCON**
- **3 CT CHEST WO IVCON**
- **4 CT ABDOMEN PELVIS WO IVCON**
- **5 CT C SPINE WO IVCON**
- **6 CT CHEST W IVCON**
- **7 CT CHEST ABDOMEN PELVIS W IVCON**
- **8 CT NECK W IVCON**
- 9 CT HEAD PARANASAL SINUSES WO IVCON
- **10 CT LE WO IVCON**




9

Corporate Id: 100000 Age Group: 11-14




### - Your Facility Median

- 1 CT HEAD BRAIN WO IVCON
- **2 CT ABDOMEN PELVIS W IVCON**
- **3 CT CHEST WO IVCON**
- **4 CT ABDOMEN PELVIS WO IVCON**
- **5 CT C SPINE WO IVCON**
- **6 CT CHEST W IVCON**
- **7 CT CHEST ABDOMEN PELVIS W IVCON**
- **8 CT NECK W IVCON**
- 9 CT HEAD PARANASAL SINUSES WO IVCON
- **10 CT LE WO IVCON**



9

Corporate Id: 100000 Age Group: 15-18



5

6

3

1

## - Your Facility Median

1 CT HEAD BRAIN WO IVCON

**2 CT ABDOMEN PELVIS W IVCON** 

**3 CT CHEST WO IVCON** 

**4 CT ABDOMEN PELVIS WO IVCON** 

**5 CT C SPINE WO IVCON** 


**6 CT CHEST W IVCON** 

**7 CT CHEST ABDOMEN PELVIS W IVCON** 

**8 CT NECK W IVCON** 

9 CT HEAD PARANASAL SINUSES WO IVCON

**10 CT LE WO IVCON** 



## **Mapping Page for Peds**

RPID145	CT ABD PELVIS W IVCON
RPID1097	CT ABD PELVIS DUAL ENG CT W IVCON
RPID1841	CT ABD/PEL W IVCON
RPID1900	CT ABD/PEL LO DOSE W IVCON
RPID144	CT ABD PELVIS WO IVCON
	CT ABD PELVIS WO IVCON
	CT ABD/PEL WO IVCON
	CT PEDS ABD/PEL WO IVCON
	CT C SPINE WO IVCON
	CT C SPINE LO DOSE WO IVCON
	CT C SPINE 3D IMAGE WO IVCON
	CT PEDS C SPINE WO IVCON
	CT BRN C SPINE WO IVCON
	CT CHST ABD PELVIS TO ALMA MANAGON
	CT CHST ABD PELVIS TRAUMA W IVCON
	CT CHST ABD PELVIS DUAL ENG CT W IVCON
	CT PEDS CHST ABD PELVIS LO DOSE W IVCON
	CT CHST WINCON
	CT CHST W IVCON  CT PEDS CHST W IVCON
	CT CHST HI RES LUNG PARENCH W IVCON
	CT CHST HI RES LUNG PARENCH W IVCON
	CT CHST LO DOSE NODULE WO IVCON
	CT CHST LO DOSE CANCER WO IVCON
	CT CHST HI RES LUNG PARENCH WO IVCON
	CT CHST LO DOSE WO IVCON
	CT CHST STERNUM WO IVCON
	CT SC JT WO IVCON
	CT PEDS CHST LO DOSE HI RES WO IVCON
RPID1886	CT PEDS CHST WO IVCON
RPID22	CT HEAD WO IVCON
RPID266	CT HEAD BRN WO IVCON
RPID409	CT HEAD FIDUCIAL WO IVCON
RPID1096	CT HEAD BRN DUAL ENG CT WO IVCON
RPID1150	CT PEDS HEAD CRANIO SYN WO IVCON
RPID1803	CT PEDS HEAD WO IVCON
RPID1804	CT HEAD PREOP WO IVCON
RPID1807	CT HEAD TRAUMA WO IVCON
RPID1825	CT PEDS HEAD BRN WO IVCON
RPID1835	CT BRN PREOP TH SECT WO IVCON
RPID1850	CT BRN WO IVCON
RPID1898	CT BRN FACL BNS WO IVCON
RPID4943	CT HEAD MLTPL AREA SM BDY REG WO IVCON
RPID62	CT HEAD SINUSES WO IVCON
RPID25	CT LE LT WO IVCON
RPID26	CT LE RT WO IVCON
RPID305	CT LE BILAT WO IVCON
RPID873	CT LE FEMUR WO IVCON
RPID910	CT LE THIGH WO IVCON
RPID912	CT LE WO IVCON
RPID1104	CT LE KNEE DUAL ENG CT WO IVCON
RPID1186	CT LE MULTI PLAN REF WO IVCON
RPID1195	CT PEDS LE WO IVCON
RPID1198	CT LE TRAUMA WO IVCON
RPID1199	CT PEDS LE ANKLE WO IVCON
RPID1200	CT LE HI RES FOOT WO IVCON
RPID1202	CT PEDS LE KNEE WO IVCON
RPID1415	CT LE 3D IMAGE ANKLE WO IVCON
RPID1824	CT LE DUAL ENG CT WO IVCON
RPID2042	CT LE TIBIA FIBULA LT WO IVCON
RPID2042 RPID2045	CT LE TIBIA FIBULA RT WO IVCON
RPID2042 RPID2045 RPID3468	CT LE TIBIA FIBULA RT WO IVCON CT LE TIBIA FIBULA WO IVCON
RPID2042 RPID2045 RPID3468 RPID4972	CT LE TIBIA FIBULA RT WO IVCON CT LE TIBIA FIBULA WO IVCON CT LE 3D IMAGE MLTPL AREA SM BDY REG ANKLE WO IVCON
RPID2042 RPID2045 RPID3468	CT LE TIBIA FIBULA RT WO IVCON CT LE TIBIA FIBULA WO IVCON
	RPID144 RPID861 RPID1842 RPID1842 RPID1905 RPID21 RPID1270 RPID1421 RPID1892 RPID1907 RPID249 RPID405 RPID1005 RPID1893 RPID1904 RPID1904 RPID1904 RPID1904 RPID1904 RPID150 RPID151 RPID150 RPID150 RPID150 RPID150 RPID151 RPID403 RPID1299 RPID1299 RPID1299 RPID1299 RPID1806 RPID150 RPID1807 RPID1808 RPID1808 RPID1809 RPID1809 RPID1809 RPID1809 RPID1809 RPID1809 RPID1809 RPID1809 RPID190

#### Calculating The QCDR Measures From DIR

The QCDR measures from 2018 have been combined into a single measure, detailed below.

Dose Length Product (DLP) is a standardized parameter to measure scanner radiation output to a patient and is a useful index to compare protocols across different practices and scanners.

Providing comparative data across exam types to a physician or site will help adjust imaging protocols to obtain diagnostic images using the lowest reasonable dose. While DLP itself is not a measure or estimate of actual patient radiation dose, it is closely related to doses received by patients.

The benefits of computed tomography are immense and certainly exceed the risks. However, this is only true when they are ordered appropriately and studies are optimized to obtain the best image quality with the lowest radiation dose.

	Title	Description			
ACRad 34	Overall Percent of CT exams for which Dose Length Product is at or below the size-specific diagnostic reference level (weighted average for 3 CT exam types)	Weighted average of the 3 components			
Component 1	Percent of CT Abdomen-Pelvis exams with contrast (single phase scan) for which Dose Length Product is at or below the size specific diagnostic reference level	Percent of CT Abdomen-Pelvis exams with contrast (single phase scan) for which Dose Length Product is at or below the size-specific diagnostic reference level. Note: Calculated at facility/TIN level and assigned to all NPIs who read CT under that TIN			
Component 2	Percent of CT Chest exams without contrast (single phase scan) for which Dose Length Product is at or below the size-specific diagnostic reference level	Percent of CT Chest exams without contrast (single phase scan) for which Dose Length Product is at or below the size-specific diagnostic reference level. Note: Calculated a facility/TIN level and assigned to all NPIs who read CT under that TIN			
Component 3	Percent of CT Head/Brain exams without contrast (single phase scan) for which Dose Length Product is at or below the size specific diagnostic reference level	Percent of CT Head/Brain exams without contrast (single phase scan) for which Dose Length Product is at or below the size-specific diagnostic reference level. Note: Calculated at facility/TIN level and assigned to all NPIs who read CT under that TIN			

Benchmarking Methodology
QCDR measures from DIR calculate percentage of exams that are equal to or lower than the benchmark (size specific diagnostic reference level for DLP). Reports contain comparisons of each facility's score relative to other peer facilities.
For CMS reporting, physician or physician group performance is based on data across all locations at which they practice and will be benchmarked against other groups. The physician and group performance data is available in the NRDR MIPS participation portal for groups registered and enrolled in NRDR MIPS.

#### DIR Exam Level Benchmarking at Diagnostic Reference Levels (DRLs)

In 2017, ACR published U.S. Diagnostic Reference Levels and Achievable Doses for ten Adult CT Examinations (http://pubs.rsna.org/doi/abs/10.1148/radiol.20171619112journalCode=radiology)

The size specific DRLs published in this paper for DLPs were used to calculate the percentage of a facility's exams that are at or below the published DRLs. The summary of the DLP DRLs from the published paper are given below for reference.

Head exams are categorized using lateral thickness from scout images submitted by facilities. Body exams are categorized using the effective diameter that ACR calculates from scout images.

For now, if exams do not include thickness information because the facility did not submit scout images, they will be compared with the average DRL for that body part. Going forward, we intend to exclude exams for which we did not receive scout images.

#### **DRL Tables**

DRLs for Chest without IV Contrast exams, Abdomen Pelvis with IV Contrast exams

Effective diameter	Chest!DLP DRL	Abd Pelvis DLP DRL
21-25*	270	394
25-29	317	524
29-33	443	755
33-37	610	1056
37-41	760	1266
>=41	957	1598
All	545	995

DRLs for Head Brain without IV Contrast exams

Lateral thickness	Head DLP DRL
12-14°	936
14-16	962
16-18	1020
18-20	1069
>=20	1192
Allb	1011

<sup>\*</sup>This category is used for all pediatric exams irrespective of the size. After ACR publishes the pediatric DRL paper, pediatric exams will be compared to pediatric DRLs.

<sup>&</sup>lt;sup>b</sup>This category is used for adult exams where either the patient thickness was less than the smallest size category in this table or we did not receive a valid scout image to calculate patient thickness. These exams will be excluded from denominator as invalid exams.

#### **DIR QCDR Measures**

#### To calculate the denominator for each of the DIR QCDR measures we applied the following inclusion criteria:

- 1. Exams must be mapped to a RPID that corresponds to one of the three exam names used for measures
- 2. Exams must provide a non-zero value for both DLP and CTDIvol
- 3. Exams must have a DLP value greater or equal to CTDIvol
- 4. Exams must provide age
- 5. Exams must provide scout or localizer image to ACR in order for us to be able to calculate thickness

To calculate the percentage of exams that met the benchmarks for pediatric patients and for adults who had thickness below 12 cm for head or 21 cm for chest or abdomen pelvis we used the DRLs for the smallest category as shown below.

QCDR Measure	Thickness	DLP DRL
Abdomen/Pelvis	21-25	394
Chest	21-25	270
Head/Brain	12-14	936

	MIPS Quality Measure Decile Scoring
For MIPS Quality Catescore for each reporter	egory scoring, CMS uses decile benchmarks (1-10) to compare physicians or groups to peers in order to as ed measure.
For this DIR QCDR m	neasure preview report, we created aggregate registry level decile benchmarks.
Your facility performan	nce scores are ranked against the registry level decile benchmarks and assigned the associated decile rank
As the DIR QCDR me	easures is proportional, higher percentages equal higher deciles and measure scores.

## **DIR QCDR Measure Preview - Your Facility (All Patients)**

## **DIR QCDR Measure Preview - Your Facility (Pediatric Patients)**

For patients age 18 or under we used the DLP DRL of the smallest size range of a body part to calculate the measure.

If the DLP used for a pediatric patient was greater than the DRL for the smallest-sized adult for a body part, that exam did not meet the performance benchmark. In this table we show the percentage of pediatric exams that met the performance benchmark.

If the percentage in this category is very low, we recommend that you review your pediatric protocols with your medical physicist and/or radiologist.

<sup>1</sup>Denominator: Total number of exams that were mapped to one of the 3 exam names, had a non-zero DLP and a non-zero CTDIvol, CTDIvol<DLP and age was not missing <sup>2</sup>Numerator: Total number of exams among the denominator that are at or below the size specific DRL <sup>3</sup>Percentage at or below DRL: (Numerator/Denominator)\*100

Maintenance of Certification (MOC): Practice Quality Improvement (PQI)  With the implementation of Continuous Certification and its annual look-back approach, diplomates must have completed at lead Project or Participatory Quality Improvement Activity in the previous three years at each annual look-back.  A PQI Project or Activity may be conducted repeatedly or continuously to meet PQI requirements.  (https://www.theabr.org/diagnostic-radiology/maintenance-of-certification)  We are pleased to announce that our registries have been approved by the American Board of Radiology for fulfilling MOC Part requirements.
With the implementation of Continuous Certification and its annual look-back approach, diplomates must have completed at least Project or Participatory Quality Improvement Activity in the previous three years at each annual look-back.  A PQI Project or Activity may be conducted repeatedly or continuously to meet PQI requirements. (https://www.theabr.org/diagnostic-radiology/maintenance-of-certification)  We are pleased to announce that our registries have been approved by the American Board of Radiology for fulfilling MOC Participation.
With the implementation of Continuous Certification and its annual look-back approach, diplomates must have completed at least Project or Participatory Quality Improvement Activity in the previous three years at each annual look-back.  A PQI Project or Activity may be conducted repeatedly or continuously to meet PQI requirements. (https://www.theabr.org/diagnostic-radiology/maintenance-of-certification)  We are pleased to announce that our registries have been approved by the American Board of Radiology for fulfilling MOC Participation.
Project or Participatory Quality Improvement Activity in the previous three years at each annual look-back.  A PQI Project or Activity may be conducted repeatedly or continuously to meet PQI requirements.  (https://www.theabr.org/diagnostic-radiology/maintenance-of-certification)  We are pleased to announce that our registries have been approved by the American Board of Radiology for fulfilling MOC Participation.
(https://www.theabr.org/diagnostic-radiology/maintenance-of-certification)  We are pleased to announce that our registries have been approved by the American Board of Radiology for fulfilling MOC Part

## Promote your participation in NRDR™! Download your marketing toolkit today.

acr.org/DIRtoolkit

CONTACT US 1.800.227.5463, ext. 3535 nrdr@acr.org | nrdr.acr.org

